1 Neg 2 Pos

INDIANA
N & W 2 P. M.



Sec to Jno P. Campbell
Afr 1901 E

IND

Township No. XVII North, Range No. VIII West 2nd Mer. surveyed by Wm. Polke. 1820.

▨ Selection for the Wabash & Erie Canal confirmed by Act of Congress approved 27th Feby. 1841

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c	Between Sections	Quality &c	Between Sections	Quality &c
35 & 36	Land Hilly 2nd rate B. Ash Beech W. Oak Sugar &c	33 & 34	Land Hilly & good B. Ash Beech W. Oak Sugar &c	31 & 32	Land Rich but Overflowed
25.36	Overflowed Bottom land	27.34	Same level	29.32	Land Rich Walnut Sugar Beech Poplar &c
25.26	Hilly good farming land timber same	27.28	Same	30.31	Same
24.25	Land Hilly 3rd rate	22.27	Same	29.30	Same
23.24	Same 2nd rate	21.22	Same	20.29	Land Hilly 3rd rate
13.24	Same level timber Same	15.22	Same Hilly	19.30	Land level 1st rate Walnut Sugar Beech Poplar &c
13.14	Same	15.16	Same	19.20	....
12.13	Same	10.15	Same level	17.20	Same 2nd rate
11.12	Same	9.10	Same	18.19	Rich Barrens
1.12	Same	3.10	Same	17.18	Land Rich timber as above
1.2	Same	3.4	Same	8.17	Same Hilly
34.35	Same Hilly	32.33	Same Hilly	7.18	Barrens
26.35	..	28.33	Land level & rich Walnut Sugar W. Oak Beech B. Ash	7.8	Land Hilly 2nd rate
26.27	Same	28.29	Same	5.8	Same level
23.26	Land level & good B. Ash Beech W. Oak Sugar &c	21.28	Same	6.7	Land 1st rate Walnut Sugar Beech W. Oak Hugth & Spice
22.23	Same	20.21	Same Hilly	5.6	....
14.23	Same	16.21	Same		
14.15	Same	16.17	Same		
11.14	Same	9.16	Same level		
10.11	Same	8.9	Land 3rd rate		
2.11	Same	4.9	Same		
2.3	....	4.5	Land Hilly 2nd rate		

Township No. 17 North, Range No. 8 West of 2nd Meridian

Posts	Bearing trees	Inches diam.	Courses they bear	Links dist.	Quality of the Soil
A	Sugar	18	N 60 E	25	
	do	12	S 75 W	35	
a					
B	W. Oak	30	S 60 W	16	
	R. Oak	6	N 70 E	24	
b					
C	Beech	18	S 10 E	9	
	W. Oak	18	N 31 E	31	
c					
D	Sugar	22	S 20 E	9	
	do	15	N 20 W	25	
d					
E	Beech	4	N 17 E	6	
	do	18	S 4 E	24	
e					
F	Beech	4	Corner		
	Elm	20	N 57 E	27	
f					
G	Hornbeam	5	S 55 E	12	G to H Land level, North & West
	Elm	11	N 16 E	12	Oak. Beech. Ash. Sycam. Hickory
g	Maple	30	S 15 E	18	
	Beech	14	N 85 W	20	
H	Sugar	9	S 85 W	39	H to I Land part Rolling & part
	Hornbeam	7	North	1	level 2nd rate — middling good
h	Hickory	8	N 75 W	7	
	Hornbeam	6	N 83 E	7	
I	Sugar	10	S 37 W	25	I to K Very broken 2nd rate land
	do	5	N 81 E	21	
i	Sugar	18	N 83 E	27	
	do	14	N 53 W	35	
K	Beech	18	S 72 E	12	K to L Same
	do	8	S 81 W	11	
k	Poplar	30	S 12 W	12	
	Sugar	9	N 7 W	34	
L	Sugar	9	S 4 W	40	L to M Part Broken, part Creek
	do	9	N 80 E	34	bottom which overflows
l	Corner	in	Creek		
M	Sugar	8	S 34 W	13	M to N South & level. North &
	Beech	9	S 70 E	11	broken — middling good — Beech.
m	Sycam	44	S 63 E	33	Sugar. Ash. Oak —
	Beech	10	N 73 W	44	
N	Beech	8	N 35 W	15	N to O Land broken 2nd rate —
					Beech. Sugar. Ash
n	Beech	5	N 7 E	17	
	do	12	S 65 E	27	
O	W. Oak	14	N 37 W	25	O to P Part broken & part Creek
	Sugar	6	S 40 E	34	bottom which overflows
o	Beech	24	East	13	
	B. Walnut	12	S 47 W	34	
P	Beech	7	S 84 E	13	P to Q Land very Broken
	Hickory	18	S 52 W	20	
p	Beech	14	N 15 W	10	
	Hickory	18	S 37 E	20	
Q	Gum	10	S 36 E	11	Q to R West & good farming land
	W. Oak	30	N 11 E	26	part broken
q	Elm	13	S 26 E	16	
	Willow	9	N 71 W	9	
R	Sugar	11	S 44 W	39	R to S Part good farming land
	do	12	N 50 E	13	& part overflowed bottom
r	W. Oak	30	S 17 E	28	
	Dogwood	6	N 40 E	7	
S	Bl. Walnut	14	North	17	S to T Low overflowed bottom
	do	30	S 20 W	10	
s	Corner	in	Wabash River		
T	Hackberry	30	S 56 E	8	
	do	6	N 77 W	26	
t	Elm	18	N 33 E	58	
	Hackberry	14	West	25	
U	In River				
u					
V	In River				
v					
W	Hickory	10	S 12 E	21	
	Mulberry	4	N 71 W	14	
w					
X	Sugar	12	N 16 E	12	
	W. Oak	18	S 7 W	7	
x					
Y	Sugar	12	N 14 E	11	
	do	12	N 86 E	18	
y					

Interior Section Corners Ascend.

Corners of sections	Bearing trees	Inches diam.	Courses they bear	Links dist.
25.26.35.36	Buckeye	5	N 48 W	17
	Hickory	20	S 52 E	20
13.24.25.26	Beech	12	N 30 E	4
	Ironwood	5	S 38 W	21
13.14.23.24	Beech	4	N 2 W	5
	W. Oak	24	S 24 E	29
11.12.13.14	Ash	27	S 18 W	22
	B. Ash	4	N 17 W	15
1.2.11.12	Beech	12	N 56 W	11
	Poplar	24	S 53 E	25
26.27.34.35	W. Oak	36	S 67 E	7
	do	34	N 40 W	20
22.23.26.27	Elm	12	S 3 E	9
	Sycam	4	N 4 W	11
14.15.22.23	Beech	13	N 34 W	12
	do	12	S 18 W	35
10.11.14.15	Sugar	12	N 50 W	30
	do	15	S 70 E	45
2.3.10.11	Beech	10	N 78 W	22
	Hickory	12	N 77 E	12
27.28.33.34	Ash	27	N 25 E	17
	Beech	40	S 39 W	14
21.22.27.28	B. Ash	20	S 34 E	12
	do	15	S 77 W	23
15.16.21.22	Sugar	12	N 23 E	16
	do	12	S 68 E	23
9.10.15.16	Beech	12	N 54 W	19
	do	20	S 81 E	25
3.4.9.10	Sugar	22	S 43 E	28
	Buckeye	18	N 68 W	32
28.29.32.33	Beech	12	S 86 E	34
	do	27	N 86 W	57
20.21.28.29	Beech	18	S 49 E	25
	W. Oak	6	N 50 W	45
16.17.20.21	W. Oak	10	S 10 E	23
	do	10	N 24 W	19
8.9.16.17	Beech	12	S 14 E	28
	Poplar	15	N 20 W	43
4.5.8.9	Beech	15	N 65 W	19
	do	20	S 57 W	42
29.30.31.32	Elm	20	N 47 E	13
	Maple	15	S 11 E	24
19.20.29.30	Beech	12	N 75 E	18
	do	15	S 75 W	21
17.18.19.20	W. Oak	18	S 86 W	13
	Sugar	10	S 79 E	18
7.8.17.18	Elm	10	N 39 W	18
	Sycamore	3	S 49 E	9
5.6.7.8	Buckeye	10	S 2 E	14
	Mulberry	8	N 8 E	26

Interior Quarter Section Corners.

From & to		Bearing trees	Inches diam.	Courses they bear	Links dist.
I to X at	1	Sugar	12	S 21 E	5
		Beech	5	N 21 W	14
	2	Beech	19	N 20 E	31
		do	4	S 11 W	14
	3	Beech	20	N 55 E	19
		do	10	S 25 W	15
	4	Hickory	24	N 12 W	10
		do	...	S 16 E	5
	5	Beech	18	S 40 W	20
		do	24	S 80 E	26
	6	W. Oak	20	S 30 W	23
		Hickory	10	N 32 E	32
H to Y	1	Maple	15	N 80 W	4
		Beech	8	S 80 E	19
	2	Sugar	18	S 57 W	12
		Beech	4	N 67 E	15
	3	....	10	S 76 E	7
		do	10	N 14 W	16
	4	Elm	15	N 75 W	12
		Ash	15	S 70 E	49
	5	Poplar	27	S 34 W	16
		Beech	13	N 13 E	25
	6	W. Oak	36	S 69 E	39
		Sugar	15	N 59 W	44
O to F	1	Beech	10	N 60 W	40
		Sugar	18	S 14 W	27
	2	W. Oak	27	N 32 W	[illegible]
		Beech	12	S 62 E	19
	3	R. Oak	20	S 75 E	11
		Poplar	30	N 75 W	22
	4	Beech	27	N 24 E	15
		Sugar	8	S 45 W	21
	5	Sycam	12	S 17 E	10
		Sugar	5	N 70 W	17
	6	Beech	12	N 43 E	9
		Elm	20	S 32 W	44
P to E	1	Beech	18	S 18 E	50
		do	18	S 58 W	26
	2	Ironwood	5	S 18 E	7
		Sugar	15	N 9 E	30
	3	Sugar	20	East	5
		Beech	8	S 27 W	20
	4	Beech	12	S 41 W	15
		do	8	N 6 E	17
	5	Beech	10	S 32 E	10
		do	18	N 48 W	22
	6	Beech	8	N 63 W	16
		Sugar	27	S 70 E	27
Q to D	1	Elm	12	N 76 E	7
		Sugar	12	S 76 W	32
	2	W. Walnut	12	S 10 E	10
		Hickory	4	N 15 E	27
	3	Hornbeam	4	S 5 W	5
		Hickory	18	N 23 E	23
	4	Sugar	10	S 40 E	12
		do	10	N 45 W	38
	5	Sugar	20	N 4 W	25
		do	18	S 39 E	28
	6	Sugar	10	N 66 W	31
		Walnut	24	S 66 E	18
R to C	1	Walnut	8	S 86 E	5
		do	2	N 86 W	14
	2	Hickory	4	N 86 E	2
		Poplar	24	S 80 W	17
	3	Ironwood	4	N 26 E	20
		W. Oak	15	S 26 W	22
	4	Ash	4	N 60 E	20
		Beech	15	S 50 W	34
	5	W. Oak	18	N 71 E	27
		do	30	N 74 W	20
	6	Sugar	18	N 40 E	22
		do	15	N 54 W	19
S to B	1	Hickory	12	S 83 W	7
		Buckeye	18	S 84 E	37
	2	Elm	..	N 44 W	2.35
	3	Buckeye	18	S 15 E	12
		Hackberry	20	N 15 W	28
	4	W. Oak	12	N 22 E	29
		Sycamore	3	S 28 E	12
	5	Elm	10	S 58 W	25
		W. Oak	15	N 76 E	42
	6	R. Oak	4	Corner	
		W. Oak	36	S 74 E	35
		Beech	30	N 74 W	33

Interior Quarter Section Corners

From & to		Bearing trees	Inches diam.	Courses they bear	Links dist.
M. to U at	1	Buckeye	5	N 84 W	12
		Sycamore	36	N 85 E	44
	2	Sugar	6	N 10 W	10
		W. Oak	24	S 34 E	15
	3	Sugar	6	N 43 E	20
		Hickory	12	S 23 E	14
	4	Box Elder	4	S 76 E	6
		Sycamore	12	N 76 W	22
	5	S. Ash	24	N 5 W	12
		Sugar	10	S 34 W	34
	6	R. Oak	5	S 10 W	4
		Hackberry	15	N 65 E	15
U to V	1	Elm	5	S 7 E	9
		do	4	N 18 W	20
	2	Sugar	18	S 18 E	17
		Beech	18	N 20 W	41
	3	Beech	24	N 40 E	4
		do	20	S 33 W	38
	4	Hickory	15	S 60 E	12
		do	20	N 34 W	18
	5	Beech	18	S 62 W	19
		do	18	N 26 E	28
	6	Post & Mound			
K. to W	1	Beech	12	S 36 E	9
		do	4	N 24 W	11
	2	Beech	12	S 85 E	20
		Hornbeam	4	S 61 W	16
	3	Sugar	12	N 70 E	10
		Beech	6	S 73 W	28
	4	Sugar	12	N 84 W	12
		Hickory	18	N 80 E	30
	5	W. Oak	24	N 14 W	31
		Beech	18	S 46 W	27
	6	Hickory	10	N 15 W	10
		B. Oak	30	N 83 E	64

Corners on Wabash River

Posts	Bearing trees	Inches diam.	Courses they bear	Links dist.
1	Elm	18	Corner	
2	Maple	18	Corner	
3	Hackberry	8	S 59 E	16
	Box Elder	9	N 72 W	47
4	Buckeye	20	N 37 E	21
	Box Elder	4	S 24 W	29
5	Maple	24	S 70 E	24
	do	12	N 70 W	29
6	Maple	11	N 58 W	6
	Sycamore	40	S 27 E	50
7	Hornbeam	9	S 10 W	15
	Elm	3	N 19 W	16
8	Cottonwood	27	Corner	
9	Sugar	18	Corner	
10	Mulberry	5	N 10 E	23
	Sugar	9	S 56 E	10

HQ

NATIONAL ARCHIVES OF THE UNITED STATES
CARTOGRAPHIC RECORDS RG49

Township No XVII North, Range No VII West 2 Mer.



Acres. Do.
Total quantity 21.975.00
3

All these tracts [illegible] selected for the Wabash [illegible] and confirmed by Act of [illegible] approved [illegible] Feby 1811

A true Copy from the Original on file in this Office,
Surveyor Generals Office. Feb. 21st 1821
Edward Tiffin Sur. Genl

T17N, R8W

IND

INDIANA.
N & W 2 P. M.

T 17 N, R. 8 W, 2nd. Mer.



The foregoing Subdivisions of Fractional Sections are truly Copied from the Original plat in this Office.
Surveyor Generals Office.
Cincinnati Nov 27. 1833.

M. T. Williams
Sur. Genl.

T 17 N, R 8 W. 2nd Mer.



Compd

The foregoing subdivisions of fractional sections are truly copied from the original plat in this Office.

Surveyor General's Office
Cincinnati Nov. 27. 1833

M. T. Williams
Sur. Genl.

Township 17 North. Range 8 West 2nd Mer. Indiana.
Island in Wabash River.
Surveyed by A. E. Van Ness D.S. in 1848.

IND

Rec'd with letter Aug 31/49.



Meanders of an Island in the Wabash River in Sec. 31 commencing on the Range line between Towns 8 & 9 West. at 25.00 ch. N.		
Posts	Courses	Chs Lks.
from 1 to 2	S. 67 E.	14.00
To post on N.W. end of Island		
from 2	S. 40 E.	22.00
	S. 55. E.	8.00
	S. 67 E.	6.00
	N. 40 W.	22.00
	N. 48 W.	8.00
to 2	N. 75 W.	6.20
		86.20

The above diagram of an island in the Wabash river in T. 17 N. – R. 8 W. 2nd Mer. Indiana, is strictly conformable to the field notes of the survey thereof, on file in this office which have been examined and approved.

Surveyor General's office
Detroit January 29. 1849

Lucius Lyon,
Sur. Genl.

57

Survey paid for per G. L. Office
Report [illegible] of 9 Feb: 1849

Township 17 North. Range 8 West. 2nd Mer. Indiana.
Island in Wabash River
Surveyed by A. E. Van Ness D. S. in 1848.



I certify that the above is a true copy of the approved original plat in this office

Surveyor General's office }
Detroit Feby 20th 1849 }

4—335

This card is not a part of the official plat.

Received with Surveyor General's letter of

Report No.

Posted in Division "O"

Triplicate plat filed with R. and R.

Miscellaneous Ser to F. M. McLaughlin June 25/20 #928469 rel. to island in secs 19 + 30 Ser to Hon E. Saunders in behalf of J. P. Mendenhall Sept 1920 #948018

6—2680

Township No XVII North, Range No VIII West 2nd Mer.



A true Copy from the Original on file in this Office
Surveyor Generals Office Feb. 21st 1821
Edward Tiffin Sur. Gen.